



Ref. ID: A-27768/GE3-0083

09/519330 0 of C  
\$

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 6,881,585 B1  
Issued: April 19 2005  
Name of Patentee: Potyrailo et al.  
Title of Invention: Method and Apparatus For Rapid Screening Of Volatiles

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT  
FOR APPLICANTS' MISTAKE (37 C.F.R. 1.323)**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

ATTENTION: Decision and Certificate of Correction  
Branch of the Patent Issue Division

**Certificate**  
**JUL 14 2005**  
**of Correction**

Sirs:

It is noted that an error appears in this patent of a typographical nature or character, as more fully described below. It occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.

Attached hereto, in duplicate, is Form PTO-1050, with at least one copy being

07/12/2005 AADOF01 00000067 061130 6861585  
01 FC:1811 100.00 DA

I certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on	
<u>July 7 2005</u> (Date of Deposit)	
Maria M. Thomson (Name of Person Mailing Paper)	
<u>Maria M. Thomson</u> Signature	<u>7/7/05</u> Date

JUL 15 2005

suitable for printing.

The error is in the body of the patent in: column 4, line 19; column 6, line 23; column 8, line 4, line 44, and line 52.

Please send the Certificate of Correction to:

Cantor Colburn LLP  
55 Griffin Road South  
Bloomfield, Connecticut 06002

Please charge the amount of \$100.00, as required by 37 C.F.R. 1.20(a) or any additional charges with respect to this request or otherwise, to Deposit Account No. 06-1130 maintained by Patentees' attorneys.

Respectfully submitted,

CANTOR COLBURN LLP

By: 

Daniel F. Drexler  
Registration No. 47,535  
55 Griffin Road South  
Bloomfield, Connecticut 06002  
Telephone: (860) 286-2929  
Customer No. 23413

Date: July 6, 2005

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.: 6,881,585 B1

DATED: April 19 2005

INVENTOR(S): Potyrailo et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4:

Line 19, after "computer" delete "60" and insert therefor -- 70 --

Column 6:

Line 23, insert therefor -- TABLE 2--

Column 8:

Line 2, before "below" delete "2" and insert therefor -- 3 --

Line 4, delete "TABLE 2" and insert therefor -- TABLE 3 --

Line 44, after "scope" insert therefor -- of the --

Line 52, after "volatilized" insert therefor -- volume --

MAILING ADDRESS OF SENDER:

Cantor Colburn LLP  
55 Griffin Road South  
Bloomfield CT 06002

PATENT NO. 6,881,585 B1

No. of additional copies

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing this form, call 1-800-PTO-9199 and select option 2.

JUL 15 2005